Tele: 033-2513216
E-mail: aps.panagarh2012@gmail.com

Army Public School, Panagarh
PO: Panagarh
Dist: Purba Burdwan
Pin: 713420

049/APS/x/A

14 Feb 2025

CALL FOR QUOTATION

Respected Sir/Madam

1.   Army Public School, Panagarh invites sealed tenders from eligible bidders for procurement of under mentioned items in a sealed envelope with proper stamp and GST No :-

Ser No	Description	Specification	A/U	Qty	Rate (In Rs)	Amount (Incl GST) (In Rs)
(a)	I Card Printer (EVOLIS ASMI)	As per Appendix	Nos	01		
(b)	Student ID Card PVC		Nos	3000		
(c)	ID Card Cover	As per compatibility	Nos	3000		
(d)	ID Card Strap		Nos	3000		

2.   **Last Date of submission of quotation: 18 Feb 2025.**

3.   Quotations will be invited through above mentioned Email of the Army Public School, Panagarh.

4.   Specification of ID card printer machine is att as **Appendix**.

5.   **Payments**: **No advance** payments will be made. Payment will be made on supply of items and after approval by the school management.

6.   Terms and conditions are as under:-

(a)   Rates quoted in the quotation should be valid for 01 (one) month from the date of submission.

(b)   Purchase order may be amended/ cancelled without prior notice.

(c)   Payment will be made through cheque/ NEFT after delivery of items/ stores.

(Mr Mukesh Kumar Parasar)
Principal

PRINTING FEATURES :

Ser No	Features	Remarks
1	Printer design	• Compact printer for desktop environment • LED control panel
2	Print technology	• Direct-to-card • Dye-sublimation/resin and thermal transfer
3	Print capability	• One-or two-sided printing, edge-to-edge
4	Print quality	• Integrated Color Profile
5	Print resolution	• 300x300 dpi (dots per inch)
6	Printing performance:	• Single side: up to 160 cards/hour • Color up to 110 cards/hour
7	Printer memory	• 32 MB (RAM)
8	Interfaces	• USB (1.0, 1.1, 2.0, 3.0)
9	Safety and security features:	• Print head protection element • Digital Erasing
10	User-friendly operation	• Full front operation Graphical notifications from the printer, cleaning, alerts, empty/low level ribbon and card alerts, etc. • Easy to reach on/off button • Easy to access technical parts. • Checking of the card level at a glance • Drop-in cassette with easy handling • Operator replaceable print head

SOFTWARE:

Ser No	Features	Remarks
1.	OS Compatibility	Windows 10 (32/64-bit),

RIBBON ASSEMBLY CAPACITY

Ser No	Features	Remarks
2.	Ribbon assembly capacity:	• YMCKO: 300 prints/roll • 1/2 YMCKO-KO: 250 prints/roll (dual-sided)

CARD SPECIFICATIONS:

Ser No	Features	Remarks
1	Card Specifications	Input & Output hopper capacity – 100 cards
	Card thickness	0.25 to 1.25mm (10 to 50mil)
	Card types	• ISO 7810 format, Type ID 1, CR-80 size • 85,6 x 53,98 mm (3.370" x 2.125") • PVC, Composite PVC, PET, ABS cards.